





HIRAC Report

Title: Remotely Operated Aircraft/Drone Programs

Authorized By:
Page Number: 1 of 13

1. Hazard Management Details – General						
This form relates to OHS Procedure – <u>Hazard Identification, Risk Assessment and Control (HIRAC)</u>						
School / Work Location:	Ballarat Tech School (Fed College)					
Name of Person(s):	Liam Mudge					
Date Conducted:	26/10/2023					
Last Reviewed:	17/10/2022					
Next Review Due:	October 2024					

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 1 of 13 Review Date: 26/10/2024



TECH SCHOOL



Department of Education

HIRAC Report

Title: Remotely Operated Aircraft/Drone Programs

Authorized By:

Page Number: 2 of 13

Description of Use:

The Ballarat Tech School (BTS) delivers a range of STEM curriculum projects, some of these activities may be hazardous to user's health if safety procedures and lab etiquette are not followed.

This document assesses the risk involved with the operation of Micro and Very Small Remotely Operated Aircraft (RPA) using the following equipment and environments:

- DJI Mini 2 Drones
- Tello Edu Drones
- Indoor Activities
- Outdoor Activities

This document covers the instruction of students in the safe use and operation of RPA for educational purposes where Ballarat Tech School Staff are supervising in Drone flight.

Operation and instruction of all aircraft above "Very Small Remotely Operated Aircraft" to be conducted by adequately trained and licenced instructors. BTS will engage appropriate Third Parties where appropriate.

Summary of Key Risks:

(Refer to appropriate subsections)

Warning - Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School

Page 2 of 13

Current Version:

26/10/2023

Review Date:

26/10/2024







Title: Remotely Operated Aircraft/Drone Programs

Authorized By:

Page Number: 3 of 13

Risk Assessment Matrix

Assessing OHS Risks

Risk assessments in matters of Occupational Health and Safety* are based on 2 key factors:

- The severity of any injury/illness resulting from the hazard(s), and
- The <u>likelihood</u> that the injury/illness will actually occur.

*Assessment of risk level based on likely severity and probability of harm

		LIKELIHOOD							
		Very Unlikely Could happen, but probably never will	Unlikely Could happen, but very rarely	Likely Could happen sometime	Very likely Could happen any time				
	Death or permanent disability	MEDIUM	HIGH	EXTREME	EXTREME				
SEVERITY	Long-term illness or serious injury	LOW	MEDIUM	HIGH	EXTREME				
	Medical attention and short-term incapacity	VERY LOW	LOW	MEDIUM	HIGH				
	First aid needed	VERY LOW	VERY LOW	LOW	MEDIUM				

Warning - Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 3 of 13 Review Date: 26/10/2024







Title: Remotely Operated Aircraft/Drone Programs

Authorized By:
Page Number: 4 of 13

2. Documentation		
Relevant Legislation/Standards	Y / N	Comments
Key reference material:	 VUAS Docu Civil Aviatio NSW Depart Assessment and Food So Colorado S Victorian D https://www Civil Aviation 	2022 In service safety inspection and testing of electrical equipment imentation and discussion on Safety Authroity's Plain English guide: Micro ment of Primary Industries Operation of Unmanned Aerial Vehicles Task-Specific Risk for NSW Department of Primary Industries Emergency Management Unit Biosecurity affety chool of Mines UAS Checklist PrePostFlight Draft EET Drones Policy Llegislation.gov.au/Details/F2021C01233 Safety Regulations 1998 manned Aircraft and Rockets) Manual of Standards 2019 (As Amended)

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 4 of 13 Review Date: 26/10/2024







HIRAC Report

Title: Remotely Operated Aircraft/Drone Programs

Authorized By:

Page Number: 5 of 13

Description of Risk Operation of Remotely Piloted Aircraft my result in exposure of hazardous environment to people, property, or wildlife. Failure of RPA components	Control Measures Compliance with cited CASA regulations as laid out in relevant legislations pertinent to class of operation.	Residual Risk
Piloted Aircraft my result in exposure of hazardous environment to people, property, or wildlife.	regulations as laid out in relevant legislations pertinent to class of	Low
- Egiluro of PRA components		
	Drones inspected prior to take off	Low
may result in collision between RPA and/or people, property or other	and only operated if they pass said inspection.	
active aircraft resulting in		
environment/harm.		
	 Operators undertake adequate training/instruction from suitably qualified instructors prior to take off. Inexperienced operators supervised during flight activities. 	Low
	between RPA and/or people, property or other active aircraft resulting in hazardous	between RPA and/or people, property or other active aircraft resulting in hazardous environment/harm. • Operators undertake adequate training/instruction from suitably qualified instructors prior to take off. • Inexperienced operators

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Curr
Page 5 of 13 Revi

Current Version: Review Date:







HIRAC Report

Title: Remotely Operated Aircraft/Drone Programs

Authorized By:

Page Number: 6 of 13

either by uninvited person/wildlife or as part of drone recovery. between RPA and /or people, property or other active aircraft resulting in hazardous between RPA and /or people, property or other active aircraft resulting in hazardous safe landing position if required to avoid airspace compromises.	Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
recovery plan including the crash	 Intrusion into area of operation either by uninvited person/wildlife or as part of drone recovery. If an accident occurs, recovery of the occupants of an aircraft or people on the ground depends on having appropriate 	Medium	May result in collision between RPA and /or people, property or other active aircraft resulting in	 In the event of intrusion of the area of operation RPA operators to navigate clear of intrusion and find safe landing position if required to avoid airspace compromises. Operator to have and practice a recovery plan including the crash of RPA. Operator to have an ability to quickly contact emergency 	Low

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School

Page 6 of 13

Current Version: Review Date:







Title: Remotely Operated Aircraft/Drone Programs

Authorized By:

Page Number: 7 of 13

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
Lack of remote pilot proficiency / experience leads to poor decision making resulting in potential traffic conflict, ground person accident, or loss of RPA.	Medium	May result in collision between RPA and /or people, property or other active aircraft resulting in hazardous environment/harm.	 Remote Pilot is properly trained and licenced to conduct required by CASA and other agencies associated with the operation of the RPA. Remote Pilot has sufficient experience to properly assess conditions and safely operate RPA in the conditions. Student Operators are instructed/supervised in best practice RPA operation. Remote Pilot has undergone any RPA-specific safety courses available. Student Operators have a suitable training and checking system to ensure RPA is operated safely, with proper decision-making encouraged. Use of appropriate documentation to track equipment and operator use. E.g. logbooks. 	Low

Warning - Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: **Ballarat Tech School**

Page 7 of 13

Current Version: Review Date:







HIRAC Report

Title: Remotely Operated Aircraft/Drone Programs

Authorized By:

Page Number: 8 of 13

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
Inadequate planning information leads to task failure, loss of RPA or unintended interaction with other traffic or people on the ground.	Medium	May result in collision between RPA and /or people, property or other active aircraft resulting in hazardous environment/harm.	 Ballarat Tech School conducts preflight briefing and provides written details and planning material to help assure remote pilot and observers fully understand task requirements. Ballarat Tech School coordinates with Operator and other organisations as required to assure proper location and support RPA operation. Ballarat Tech School provide student operators with planning material and access to information to ensure the flight can be conducted safely while achieving the task objectives. Ballarat Tech School provides guidance within operational documentation to student operators on the required pre-flight planning activities. 	Low

Warning - Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School

Page 8 of 13

Current Version: Review Date:



BALLARAT TECH SCHOOL



Department of Education

HIRAC Report

Title: Remotely Operated Aircraft/Drone Programs

Authorized By:

Page Number: 9 of 13

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
Incorrect pre-flight system checks lead to compromise in safety. Poor pavigation loads to PRA	Medium	May result in collision between RPA and /or people, property or other active aircraft resulting in hazardous environment/harm.	 Operator has published checklists that conform to the Original Equipment Manufacturer publications. Operator conducts training and checking to assure remote pilot conduct checks as published. Operator has training and 	Low
Poor navigation leads to RPA straying into wrong airspace, near people / obstacles (including wires) or not achieving task.	Medium		 Operation has training and checking to assure remote pilot plans and operates to a flight plan. RPA has appropriate GPS-based navigation system and data transmission system installed. Published procedures that ensure correct information is briefed to remote pilot before flight. RPA equipped with obstacle avoidance sensors where possible. 	Low

Warning - Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: **Ballarat Tech School**

Page 9 of 13

Current Version:

26/10/2023

Review Date:

26/10/2024



TECH SCHOOL



Department of Education

HIRAC Report

Title: Remotely Operated Aircraft/Drone Programs

Authorized By:

Page Number: 10 of 13

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
Mid-air collision between RPA and aircraft results in hazard to people in aircraft and people on the ground.	Medium	May result in collision between RPA and /or people, property or other active aircraft resulting in hazardous environment/harm.	 Operator has training, checking systems and practices that ensure remote pilot is properly trained in communicating and identifying potential conflicting traffic. Briefing informs pilot of any potential traffic in the area where this traffic may be known or planned. 	Low
Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School

Page 10 of 13

Current Version: Review Date:







HIRAC Report

Title: Remotely Operated Aircraft/Drone Programs

Authorized By:
Page Number: 11 of 13

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
Pilot mishandles emergency or malfunction which leads to an accident.	Medium	May result in collision between RPA and /or people, property or other active aircraft resulting in hazardous environment/harm.	 Operator has adequate published guidance and training to remote pilot on the handling of malfunctions and emergencies. Remote pilot has specific training and experience for engaging emergency procedures. Operator to ensure suitable and adequate records of pilot training is kept. Operations generally conducted over areas that are clear of people and livestock. Operator has proper systems and practices to ensure remote pilot can handle emergencies. 	Low

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 11 of 13 Review Date: 26/10/2024







Title: Remotely Operated Aircraft/Drone Programs

Page Number: 12 of 13

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
Indoor Airborne Activities	Low	 Indoor operation drones may result in exposure operators/onlookers to hazards. However, they nature of micro drone operation means the likelihood and level of risk are both greatly reduced 	 Indoor operation of Drones are excluded from CASA regulations however the above, mentioned controls relating to training and inspection should still be observed. Indoor operation of Drones is restricted to operation of micro class (sub 250g) and should be fitted with propeller guards. 	Very Low

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 12 of 13 Review Date: 26/10/2024







HIRAC Report

Title: Remotely Operated Aircraft/Drone Programs

Authorized By:
Page Number: 13 of 13

4. Risk Assessment Signoff		
Authorised By: Albert Ferguson	Signature: A-Ferguson	Date: 16/01/2024

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 13 of 13 Review Date: 26/10/2024