





HIRAC Report

Title: Virtual & Augmented Poplity	Authorized By:
Title: Virtual & Augmented Reality	Page Number: 1 of 10

1. Hazard Management Details – General				
Т	his form relates to OHS Procedure – <u>Hazard Identification, Risk Assessment and Control (HIRAC)</u>			
School / Work Location:	Ballarat Tech School (Fed College)			
Name of Person(s):	Liam Mudge			
Date Conducted:	06/03/2024			
Last Reviewed:	05/02/2023			
Next Review Due:	February 2025			

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 1 of 10 Review Date: 26/10/2024



TECH SCHOOL



Department of Education

HIRAC Report

Title: Virtual & Augmented Reality

Authorized By:

Page Number: 2 of 10

Description of Use:

The Ballarat Tech School (BTS) delivers a range of STEM curriculum projects, some of these activities may be hazardous to user's health if safety procedures and lab etiquette are not followed.

Augmented & Virtual Reality (AR & VR) involves the interaction of and engagement with a digital rendered environment. Completely digital in the case of VR and overlaying digital content on a real-world view with AR. Often done using a Head Mounted Display (HMD) to immerse the user in said digital landscape for a myriad of uses.

Equipment covered by this HIRAC includes:

- Oculus Rift
- Oculus Quest
- HoloLens
- HTC Vive
- Foldable Cardboard

Summary of Key Risks: (Refer to appropriate subsections)

- Entanglement
- Electricity
- Slips/trips/falls
- Human/Biological

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 2 of 10 Review Date: 26/10/2024







HIRAC Report

Title: Virtual & Augmented Reality

Authorized By:
Page Number: 3 of 10

Risk Assessment Matrix

Assessing OHS Risks

Risk assessments in matters of Occupational Health and Safety* are based on 2 key factors:

- The severity of any injury/illness resulting from the hazard(s), and
- The <u>likelihood</u> that the injury/illness will actually occur.

*Assessment of risk level based on likely severity and probability of harm

		LIKELIHOOD					
		Very Unlikely Could happen, but probably never will	Unlikely Could happen, but very rarely	Likely Could happen sometime	Very likely Could happen any time		
	Death or permanent disability	MEDIUM	HIGH	EXTREME	EXTREME		
,	Long-term illness or serious injury	illness or		HIGH	EXTREME		
SEVERITY	Medical attention and short-term incapacity	VERY LOW	LOW	MEDIUM	HIGH		
	First aid needed	VERY LOW	VERY LOW	LOW	MEDIUM		

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 3 of 10 Review Date: 26/10/2024



BALLARAT TECH SCHOOL



HIRAC Report

Authorized By: Title: Virtual & Augmented Reality Page Number: 4 of 10

2. Documentation		
Relevant Legislation/Standards	Y / N	Comments
Key reference material:	Safety of dom	estic virtual reality systems
	• AS/NZS 3760	2022 In service safety inspection and testing of electrical equipment.
	Sickness and	ang, PL. P. R., Lili Dong. (2017). Effects of Controller and Body Posture On Simulator Visual Fatigue in Virtual Reality. Paper presented at the Proceedings of The 2nd Asian Ergonomics and Design 2017.
	reduction by o	ang, S. W., Kim, Y. H., Kim, G. A., Son, W., & Kim, Y. S. (2017). A study on cyber sickness culo-motor exercise performed immediately prior to viewing virtual reality (VR) content on I display (HMD). Journal of Vibroengineering, 14.
		ajpai, P., Singh, S., & Khatter, K. (2017). Virtual Reality: Blessings and Risk Assessment. arXiv:1708.09540.
		(2017). The Ethics of Virtual Reality Technology: Social Hazards and Public Policy tions. Science and engineering ethics, 1-14.
	musculoskele	A., Kuppam, V. A., Kim, J. H., & Hwang, J. (2020). The effects of target location on tal load, task performance, and subjective discomfort during virtual reality interactions. omics, 84, 103010.
	computer visi	lokhayel S, Zeitouni L, Qadoumi T, Hussein S, Ahamed SS. Prevalence of self-reported on syndrome symptoms and its associated factors among university students. European on thalmology. 2020;30(1):189-195. doi:10.1177/112067211881511
	Vive Safety as	nd Regulatory Guide

Warning - Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: **Ballarat Tech School**

Current Version: 26/10/2023 Page 4 of 10 Review Date: 26/10/2024







HIRAC Report

Title: Virtual & Augmented Reality

Authorized By:
Page Number: 5 of 10

3. Hazards				
Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
ENTANGLEMENT Can anyone's hair, clothing, person, become entangled with moving parts or cable (data and power) of the equipment?	Medium	 Long hair, loose clothing, and jewellery could become entangled in the moving parts of the equipment or could knock over other equipment. Operator may become tangled in cables. 	 Ensure hair, loose clothing, and jewellery are kept clear of moving parts when in use. Ensure inappropriate jewellery and accessories (e.g. bracelets) are not worn when operating equipment. Spotter used to assist ensuring operator does not become tangled. Safety introduction conducted at beginning of session. 	Low
IMPACT Can anyone be injured by equipment becoming dislodged or slipping out of users grasp?	Medium	Controllers and other equipmet may become dislodge or thrown during use	 Consult manufactures instructions. Use securing straps to prevent controllers being thrown/slipping. Use of "Chaparone" system Safety introduction conducted at beginning of session. 	Low

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 5 of 10 Review Date: 26/10/2024







HIRAC Report

Title: Virtual & Augmented Reality

Authorized By:
Page Number: 6 of 10

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
SLIPS/TRIPS/FALLS Can anyone using the equipment, or in the vicinity of the equipment, slip, trip or fall due to: • Poor housekeeping, e.g. spillage in the vicinity? • Obstacles being placed in the vicinity of the equipment?	Medium	 Inappropriate placement of objects (e.g. Chairs, bags etc) in the immediate vicinity of the users may result in trip hazard. Interactions with virtual and real-world obstacles may result in the user losing balance or colliding with obstacles. Such as chairs, tables, and other furniture 	 Ensure appropriate cleaning and housekeeping practices are maintained to minimise the risk of a slip, trip or fall. Spotters used to ensure user does not collide with obstacles. Set up of virtual "Chaparone" system prior to use. To identify obstacles in the room. Safety introduction conducted at beginning of session. 	Low

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 6 of 10 Review Date: 26/10/2024







HIRAC Report

Title: Virtual & Augmented Reality

Authorized By:
Page Number: 7 of 10

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
Ergonomic	Medium	Given higher amount of shoulder flexion angle, neck flexion moment, muscle activities of the neck and shoulder, excessive vertical target locations may cause musculoskeletal loading and discomfort during VR interactions	 Identifying the potential for repetitive strain to activity in virtual environment prior to entering VR. Encourage participants to stop, rest and/or stretch if uncomfortable. Limit the amount of time on VR to reduce exposure to repetitive movement. 	Low
Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
 ELECTRICITY Can anyone be injured or burnt due to: Damaged or poorly maintained electrical leads, cables or switches? Water near electrical equipment? 	Medium	 Damaged or frayed electrical cables pose an electrical hazard. Water/Drinks may spill. Excess cleaning fluids 	 Ensure only the minimum amount of cleaning fluids used to successfully achieve outcomes. Restrict drinks around electrical equipment. Isolate power and mop up any spills as soon as practicable. 	Low

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 7 of 10 Review Date: 26/10/2024







HIRAC Report

Title: Virtual & Augmented Reality

Authorized By:
Page Number: 8 of 10

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
Biological or Human Is a hazard likely due to biological or human activity	Low	 VR headsets used by multiple people may pose risk of cross contamination via use. Sharing of the HMD by multiple users has the potential to pass on contact of body fluids such as sweat and potential pathogens. 	 Unwell participants excluded from experience. Use of disposable face shields to create physical barrier between user and headset. 	Low

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
•				

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 8 of 10 Review Date: 26/10/2024







HIRAC Report

Title: Virtual & Augmented Reality

Authorized By:
Page Number: 9 of 10

Hazards Inspected	Initial Risk	Description of Risk	Control Measures	Residual Risk
Cyber Sickness	Medium	 Commonly referred to as 'Cyber Sickness' users can suffer eye strain, nausea and disorientation. During and after engaging with a VR environment through a HMD. Cyber Sickness may result in users becoming nauseated, potentially resulting in vomiting. Experience could trigger other medical conditions such as epilepsy etc 	 Limit time users occupy VR environment to avoid cyber sickness. Begin activity from a sitting position if necessary. Then progress to standing. Users to engage in appropriate Oculo-motor exercises prior to using VR for extended periods of time, Users able to remove the HMD if they begin to feel symptoms of cyber sickness. Ensure adequate cleaning facilities available should users become ill (thereby avoiding slip/trip hazard.) Safety introduction conducted at beginning of session. Use of 20-20-20 rule to reduce eye strain. In the event of Cyber Sickness occuring remove user from VR environment for at least 15 minutes. Alert students to other existing medical conditions that coiuld be triggered by VR environments and provide an opportunity for them to speak to the facilitator so an informed decision on participation can be made 	Low

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 9 of 10 Review Date: 26/10/2024







Authorized By:

Page Number: 10 of 10

Department of Education

HIRAC Report

Title: Virtual & Augmented Reality

	•	
4. Risk Assessment Signoff		
Authorised By:	Signature:	Date: 08/07/2024
Damon Minotti	Idraft.	

Warning – Uncontrolled when printed! The current version of this document is kept on the University website.

Document Owner: Ballarat Tech School Current Version: 26/10/2023
Page 10 of 10 Review Date: 26/10/2024